

TOBACCO USE

SMOKELESS TOBACCO USE

Erie County Adults Age 18+ 2004 and 2007

Adults who ever used or tried smokeless tobacco such as chewing tobacco or snuff

<u>Population</u>	<u>2004</u>		<u>2007</u>	
	<u>%</u>	<u>CI</u>	<u>%</u>	<u>CI</u>
All Adults	16	14 – 18	20	17 – 24
Gender				
Male	32	28 – 37	38	32 – 44
Female	2	1 – 3	4	3 – 7
Age				
18-29	18	0 – 25	28	18 – 40
30-44	20	15 – 25	29	23 – 36
45-64	16	12 – 19	14	11 – 18
65+	11	6 – 15	10	7 – 15
Education				
<High School	10	4 – 17	n/a	
High School	16	13 – 20	19	14 – 24
Some College	16	12 – 20	25	18 – 33
College	19	14 – 24	18	13 – 24
Income				
<\$25,000	13	9 – 16	15	9 – 23
\$25,000-\$49,999	15	11 – 19	20	15 – 26
\$50,000+	23	18 – 28	25	20 – 31
Race				
White,non-Hispanic	17	14 – 19	20	17 – 24
Black,non-Hispanic	5	0 – 11	n/a	
Hispanic	^		n/a	

Red indicates significant difference compared to previous year; 95% Confidence Interval (CI)

^Data statistically unreliable; Data excludes missing, don't know, and refused

Source: 2004 Erie County Behavioral Risk Factor Surveillance Survey; 2007 Behavioral Health Risks of Erie County Adults

